# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.08.2019

RODUCTS, INC.

Revision: 12.07.2019

1 Identification of the substance/mixture and of the company/undertaking · Product identifier • Trade name: Opalescence Go<sup>™</sup> 6% Non-PF · Article number: 1006351 • Index number: SDS 436-001.01 · Relevant identified uses of the substance or mixture and uses advised against Professional Dental Teeth Whitening Gel · Application of the substance / the mixture Professional Dental Teeth Whitening Gel • Details of the supplier of the safety data sheet · Manufacturer/Supplier: Ultradent Products Inc. 505 W. Ultradent Drive (10200 S) South Jordan, UT 84095-3942 USA onlineordersupport@utradent.com EC Responsible Person Ultradent Products GmbH Am Westhover Berg 30 51149 Cologne Germany *Email: infoDe@ultradent.com* Emergency Phone: +49(0)2203-35-92-0 • Further information obtainable from: Customer Service · Emergency telephone number: CHEMTREC (NORTH AMERICA) :(800) 424-9300 (INTERNATIONAL): +(703) 527-3887

### **2** Hazards identification

Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008

GHS07

Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.

· Label elements

• Labelling according to Regulation (EC) No 1272/2008

The Regulation EC 1272/2008 on classification, labeling and packaging of substances and mixtures (CLP) shall not apply to a cosmetic in the finished state used in direct physical contact with the human body according to Art. 1.5 (c). Therefore, the product is exempted from the CLP labeling requirements, and no SDS is required by Regulation 1907/2006, Art. 2 (6b), REACH. Therefore, all given data, classification, and information on this SDS are provided solely on a voluntary basis.

· Hazard pictograms GHS07

· Signal word Warning

 Hazard-determining components of labelling: Potassium Hydroxide
 Hazard statements H315 Causes skin irritation.

H319 Causes serious eye irritation.

(Contd. on page 2)

GB2

Printing date 29.08.2019

Revision: 12.07.2019

#### Trade name: Opalescence Go<sup>™</sup> 6% Non-PF

	(Contd. of page 1)
· Precautionary st	tatements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P264	Wash thoroughly after handling.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
· Additional infor	mation:
Contains Oils, P	eppermint. May produce an allergic reaction.
• Other hazards	
· Results of PBT a	and vPvB assessment
. DRT. Not applic	

· **PBT:** Not applicable.

· vPvB: Not applicable.

#### **3** Composition/information on ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
CAS: 56-81-5	Glycerine	>25- <i>≤</i> 50%
EINECS: 200-289-5	substance with a Community workplace exposure limit	
CAS: 7722-84-1	Hydrogen Peroxide	>2.5- <i>≤</i> 6%
EINECS: 231-765-0	� Ox. Liq. 1, H271; � Skin Corr. 1A, H314; � Acute Tox. 4, H302; Acute Tox. 4, H332	
CAS: 1310-58-3	Potassium Hydroxide	<i>≤</i> 2.5%
EINECS: 215-181-3	< Skin Corr. 1A, H314; 🚸 Acute Tox. 4, H302	
CAS: 7758-11-4	Dipotassium Phosphate	<i>≤</i> 2.5%
EINECS: 231-834-5	🛞 Acute Tox. 3, H331	
CAS: 8006-90-4	Oils, Peppermint	<1%
EINECS: 282-015-4	♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411; ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
· Additional informat	ion: For the wording of the listed hazard phrases refer to section 16.	

Additional information: For the wording of the listed hazard phrases refer to section 16.

#### 4 First aid measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:
- This product is a viscous gel, therefore chance of inhalation is extremely low. Provide fresh air. Seek medical attention if problems persist.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

GB2

Printing date 29.08.2019

Revision: 12.07.2019

Trade name: Opalescence Go<sup>™</sup> 6% Non-PF

· Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5** Firefighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters:
- Protective equipment: Wear fully protective suit.

## 6 Accidental release measures

 $\cdot \textit{Personal precautions, protective equipment and emergency procedures} \ Not \ required.$ 

 $\cdot \textit{Environmental precautions: } Do not allow to enter sewers/ surface or ground water.$ 

• Methods and material for containment and cleaning up:

- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

· Handling:

- · Precautions for safe handling:
- No special precautions are necessary if used correctly.

See product labeling.

- Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- *Requirements to be met by storerooms and receptacles: No special requirements.*
- · Information about storage in one common storage facility: Not required.
- *Further information about storage conditions:* See product labelling.
- Keep container tightly sealed.
- Specific end use(s) Professional Dental Teeth Whitening Gel

## 8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

56-81-5 Glycerine

WEL (Great Britain) Long-term value: 10 mg/m<sup>3</sup>

(Contd. on page 4)

(Contd. of page 2)

<sup>-</sup> GB2 -

Printing date 29.08.2019

Colour:

• Odour threshold:

· pH-value at 20 °C:

· Odour:

Revision: 12.07.2019

*Trade name: Opalescence Go™ 6% Non-PF* 

7722-84-1 Hydrogen Peroxide          WEL (Great Britain)       Short-term value: 2.8 mg/m <sup>2</sup> , 2 ppm Long-term value: 1.4 mg/m <sup>2</sup> , 1 ppm         1310-58-3 Potassium Hydroxide         WEL (Great Britain)       Short-term value: 2 mg/m <sup>3</sup> Additional information: The lists valid during the making were used as basis.         Exposure controls         Personal protective equipment:         General protective equipment:         General protective equipment:         General protective and hygienic measures:         Keep oway from foodstuffs, beverages and feed.         Immediately remove all solied and contaminated clothing.         Wash hands before breaks and at the end of work.         Avoid contact with the eyes and skin.         Respiratory protection: Not required.         Protection of hands:         Voice         Protective gloves         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation.         Cheetical mixture.         Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation         Material of gloves         The selection of suitable gloves does not only depend on the material, but also on further marks of quality varies form manufacturer to manufacturer. As the product	7722 0 / 1 11 1	(Contd. of pa
Long-term value: 1.4 mg/m³, 1 ppm         1310-58-3 Potassium Hydroxide         WEL (Great Britain)       Short-term value: 2 mg/m³         Additional information: The lists valid during the making were used as basis.         Exposure controls         Personal protective equipment:         General protective equipment:         General protective equipment:         General protective and hygien measures:         Keep away from foodstuffs, beverages and feed.         Immediately remove all solied and contaminated clothing.         Wash hands before breaks and at the end of work.         Avoid contact with the eyes and skin.         Respiratory protection: Not required.         Protection of hands:         Immediately remove all solied and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation.         Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation         Material of gloves         The selection of suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application.         Peretration inme of glove material         T	• •	
1310-58-3 Potassium Hydroxide         WEL (Great Britain)       Short-term value: 2 mg/m <sup>3</sup> Additional information: The lists valid during the making were used as basis.         Exposure controls         Personal protective equipment:         General protective soft solved and contaminated clothing.         Wash hands before breaks and at the end of work.         Avoid contact with the eyes and skin.         Respiratory protection: Not required.         Protection of hunds:         Image: Protective gloves         Protective gloves         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Chemical mixture.         Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation         Material of gloves         The selection of suitable gloves does not only depend on the material, but also on further marks of quality         varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application.         Pretration fine of glove material         The exact breakthrough time		
WEL (Great Britain)       Short-term value: 2 mg/m <sup>1</sup> Additional information: The lists valid during the making were used as basis.         Exposure controls         Personal protective equipment:         General protective and hygienic measures:         Keep away from foodstuffs, beverages and feed.         Inmediately remove all soiled and contaminated clothing.         Wash hands before breaks and at the end of work.         Avoid contact with the eyes and skin.         Respiratory protection: Not required.         Protection of hands:         VVV         Protection gloves         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation.         chemical mixture.         Selection of the gloves         The selection of suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistant the glove material can be calculated in advance and has therefore to be checked prior to the application.         Petertion:         Varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistant the glove material on the calculated in advance and has therefore to be checked prior to the application.         Pheterion: <td< td=""><td></td><td></td></td<>		
Additional information: The lists valid during the making were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Inmediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Respiratory protection: Not required. Protection of hands: Work material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation of the penetration times, rates of diffusion and the degradation Material of gloves The glove material has to be impermeable and resistant to the material, but also on further marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistant the glove material on to be calculated in advance and has therefore to be checked prior to the application. Pertention time of glove material The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed. Experimention: Physical and chemical properties Information on basic physical and chemical properties General Information Appearance:		•
Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Respiratory protection: Not required. Protection of hands: Work Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistand the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to observed. Experimention: Protection: Protection: Protective work clothing Physical and chemical properties Mand chemical properties Maperance:		
Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Respiratory protection: Not required. Protection of hands:	Additional information	<b>n:</b> The lists valid during the making were used as basis.
Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Respiratory protection: Not required. Protection of hands:	Exposure controls	
<ul> <li>Keep away from foodstuffs, beverages and feed.</li> <li>Immediately remove all soiled and contaminated clothing.</li> <li>Wash hands before breaks and at the end of work.</li> <li>Avoid contact with the eyes and skin.</li> <li><b>Respiratory protection:</b> Not required.</li> <li><b>Protection of hands:</b></li> <li><i>Work of hands:</i></li> <li><i>Work of hands:</i></li> <li><i>Protection of hands:</i></li> <li><i>Protective gloves</i></li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.</li> <li>Due to missing tests no recommendation to the glove material can be given for the product/ the preparation chemical mixture.</li> <li>Selection of the gloves material on consideration of the penetration times, rates of diffusion and the degradation <i>Material of gloves</i></li> <li>The selection of suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance he glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li><b>Penetation time of glove material</b></li> <li>The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to observed.</li> <li><b>Eye protection:</b></li> <li><i>Protection:</i></li> <li><i>Protection:</i></li> <li><i>Protection:</i></li> <li><i>Protection:</i> Protective work clothing</li> </ul> <b>Physical and chemical properties Physical and chemical properties Appearance:</b>		juipment:
<ul> <li>Keep away from foodstuffs, beverages and feed.</li> <li>Immediately remove all soiled and contaminated clothing.</li> <li>Wash hands before breaks and at the end of work.</li> <li>Avoid contact with the eyes and skin.</li> <li><b>Respiratory protection:</b> Not required.</li> <li><b>Protection of hands:</b></li> <li><i>Work of hands:</i></li> <li><i>Work of hands:</i></li> <li><i>Protection of hands:</i></li> <li><i>Protective gloves</i></li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.</li> <li>Due to missing tests no recommendation to the glove material can be given for the product/ the preparation chemical mixture.</li> <li>Selection of the gloves material on consideration of the penetration times, rates of diffusion and the degradation <i>Material of gloves</i></li> <li>The selection of suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance he glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li><b>Penetation time of glove material</b></li> <li>The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to observed.</li> <li><b>Eye protection:</b></li> <li><i>Protection:</i></li> <li><i>Protection:</i></li> <li><i>Protection:</i></li> <li><i>Protection:</i> Protective work clothing</li> </ul> <b>Physical and chemical properties Physical and chemical properties Appearance:</b>	General protective an	d hygienic measures:
Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. <b>Respiratory protection</b> : Not required. <b>Protection of hands:</b>		
Avoid contact with the eyes and skin. Respiratory protection: Not required. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistanc the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection: Tightly sealed goggles Body protection: Protective work clothing Physical and chemical properties Information on basic physical and chemical properties General Information Appearance:		
Respiratory protection: Not required.         Protection of hands:         Image: Protective gloves         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ chemical mixture.         Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves         The selection of suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application.         Penetration time of glove material         The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to observed.         Eve protection:         Tightly sealed goggles         Body protection: Protective work clothing         Physical and chemical properties         Information on basic physical and chemical properties         General Information         Appearance:	Wash hands before br	eaks and at the end of work.
Respiratory protection: Not required.         Protection of hands:         Image: Protective gloves         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ chemical mixture.         Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves         The selection of suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application.         Penetration time of glove material         The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to observed.         Eve protection:         Tightly sealed goggles         Body protection: Protective work clothing         Physical and chemical properties         Information on basic physical and chemical properties         General Information         Appearance:		
Protection of hands: <i>with protective gloves</i> The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.             Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/         chemical misture.             Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation             Material of gloves             The selection of suitable gloves does not only depend on the material, but also on further marks of quality       varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance       the glove material can not be calculated in advance and has therefore to be checked prior to the application.             Penetration time of glove material             The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to         observed.             Eve protection:             Tightly sealed goggles             Body protection: Protective work clothing             Physical and chemical properties             Information on basic physical and chemical properties             Appearance:		
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>Material of gloves</b> The selection of suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. <b>Penetration time of glove material</b> The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to observed. <b>Eye protection:</b> <b>Fightly sealed goggles</b> <b>Body protection:</b> Protective work clothing <b>Physical and chemical properties</b> <b>General Information</b> <b>Appearance:</b>		
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>Material of gloves</b> The selection of suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. <b>Penetration time of glove material</b> The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to observed. <b>Eye protection:</b> <b>Fightly sealed goggles</b> <b>Body protection:</b> Protective work clothing <b>Physical and chemical properties</b> <b>General Information</b> <b>Appearance:</b>		
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>Material of gloves</b> The selection of suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. <b>Penetration time of glove material</b> The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to observed. <b>Eye protection:</b> <b>Fightly sealed goggles</b> <b>Body protection:</b> Protective work clothing <b>Physical and chemical properties</b> <b>General Information</b> <b>Appearance:</b>		1
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>Material of gloves</b> The selection of suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. <b>Penetration time of glove material</b> The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to observed. <b>Eye protection:</b> <b>Tightly sealed goggles</b> <b>Body protection:</b> Protective work clothing <b>Physical and chemical properties</b> <b>Information on basic physical and chemical properties</b> <b>General Information</b> <b>Appearance:</b>	Protective	gloves
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>Material of gloves</b> The selection of suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. <b>Penetration time of glove material</b> The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to observed. <b>Eye protection:</b> <b>Tightly sealed goggles</b> <b>Body protection:</b> Protective work clothing <b>Physical and chemical properties</b> <b>Information on basic physical and chemical properties</b> <b>General Information</b> <b>Appearance:</b>		
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>Material of gloves</b> The selection of suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. <b>Penetration time of glove material</b> The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to observed. <b>Eye protection:</b> <b>Tightly sealed goggles</b> <b>Body protection:</b> Protective work clothing <b>Physical and chemical properties</b> <b>Information on basic physical and chemical properties</b> <b>General Information</b> <b>Appearance:</b>	The glove material ha	s to be impermeable and resistant to the product/ the substance/ the preparation
chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection: Tightly sealed goggles Body protection: Protective work clothing Physical and chemical properties Information on basic physical and chemical properties General Information Appearance:		
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection: Tightly sealed goggles Body protection: Protective work clothing Physical and chemical properties Information on basic physical and chemical properties General Information Appearance:		o recommendation to the give material can be given jor the product, the preparation
Material of gloves         The selection of suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application.         Penetration time of glove material         The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to observed.         Eye protection:         Tightly sealed goggles         Body protection: Protective work clothing         Physical and chemical properties         Information on basic physical and chemical properties         General Information         Appearance:		material on consideration of the penetration times rates of diffusion and the degradation
The selection of suitable gloves does not only depend on the material, but also on further marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection: City of Tightly sealed goggles Body protection: Protective work clothing Physical and chemical properties Information on basic physical and chemical properties General Information Appearance:		material on consideration of the period allow times, rates of all used in a the degradation
varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. <b>Penetration time of glove material</b> The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to observed. <b>Eye protection:</b> Tightly sealed goggles <b>Body protection:</b> Protective work clothing <b>Physical and chemical properties</b> Information on basic physical and chemical properties General Information Appearance:		the ployes does not only depend on the material but also on further marks of quality
the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection: Tightly sealed goggles Body protection: Protective work clothing Physical and chemical properties Information on basic physical and chemical properties General Information Appearance:		
Penetration time of glove material         The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to observed.         Eye protection:         Tightly sealed goggles         Body protection: Protective work clothing         Physical and chemical properties         Information on basic physical and chemical properties         General Information         Appearance:		
The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection: Tightly sealed goggles Body protection: Protective work clothing Physical and chemical properties Information on basic physical and chemical properties General Information Appearance:		
observed. Eye protection: Tightly sealed goggles Body protection: Protective work clothing Physical and chemical properties Information on basic physical and chemical properties General Information Appearance:		
Eye protection: <i>i</i> ghtly sealed goggles <i>Body protection:</i> Protective work clothing <i>Physical and chemical properties Information on basic physical and chemical properties General Information Appearance:</i>		
Tightly sealed goggles         Body protection: Protective work clothing         Physical and chemical properties         Information on basic physical and chemical properties         General Information         Appearance:		
Body protection: Protective work clothing         Physical and chemical properties         Information on basic physical and chemical properties         General Information         Appearance:		
Body protection: Protective work clothing         Physical and chemical properties         Information on basic physical and chemical properties         General Information         Appearance:		
Physical and chemical properties Information on basic physical and chemical properties General Information Appearance:	( Tightly sea	led goggles
Physical and chemical properties Information on basic physical and chemical properties General Information Appearance:		
Physical and chemical properties Information on basic physical and chemical properties General Information Appearance:	Rody protection. Dro	tective work elething
Information on basic physical and chemical properties General Information Appearance:	bouy protection. 170	ective work cloining
Information on basic physical and chemical properties General Information Appearance:		
Information on basic physical and chemical properties General Information Appearance:	<b>Physical and cher</b>	nical properties
General Information Appearance:		
Appearance:		physical and chemical properties
••		

Not determined. 5.2-7.2

Colourless

Mint

• Change in condition Melting point/freezing point: Undetermined.

(Contd. on page 5)

Printing date 29.08.2019

Revision: 12.07.2019

Trade name: Opalescence Go<sup>™</sup> 6% Non-PF

		(Contd. of page
Initial boiling point and boiling range	e: Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Partly soluble.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	<60 %	
Water:	<50 %	
VOC (EC)	0.00 %	
Other information	No further relevant information available.	

### 10 Stability and reactivity

· Reactivity Stable

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials:
- Strong Alkalis

Metal Oxides

· Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB2

Printing date 29.08.2019

Revision: 12.07.2019

*Trade name: Opalescence Go*<sup>™</sup> 6% *Non-PF* 

ID/ICTA		(Contd. of pag
		ant for classification:
AIE (Acu Oral	te Toxicity I LD50	
		4,415 mg/kg
Inhalative	LC30/4 h	>0.336 mg/l
56-81-5 G	lycerine	
Oral	LD50	7,750 mg/kg (Guinea pig)
		4,100 mg/kg (mouse)
		5,570 mg/kg (rat)
		27,000 mg/kg (rabbit)
	LC50 Fish	>5,000 mg/l (Fish)
Dermal	LD50	>21,900 mg/kg (rat)
		10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>0.1425 mg/l (rat)
7722-84-1	Hydrogen I	Peroxide
Oral	LC50 Fish	16.4 mg/l (Fish)
1310-58-3	Potassium	Hydroxide
Oral	LD50	214 mg/kg (rat)
	LC50 Fish	80 mg/l (Fish)
7758-11-4		m Phosphate
Oral	LD50	4,260-5,700 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>0.83 mg/l (rat)
8006-90-4	Oils, Peppe	rmint
Oral	LD50	2,490 mg/kg (mouse)
		2,426 mg/kg (rat)
Skin corro Causes ski Serious ey Causes ser Respirator CMR effed	cts (carcinog	on ritation itation. nsitisation Based on available data, the classification criteria are not met. genity, mutagenicity and toxicity for reproduction)
Carcinoge Reproduct STOT-sing STOT-rep	nicity Based ive toxicity gle exposure eated expos	ty Based on available data, the classification criteria are not met. I on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. I Based on available data, the classification criteria are not met. I me Based on available data, the classification criteria are not met. I me Based on available data, the classification criteria are not met.

## **12 Ecological information**

· Toxicity

• Aquatic toxicity:

56-81-5 Glycerine

EC50 >10,000 mg/l (Bacteria)

(Contd. on page 7)

Printing date 29.08.2019

Revision: 12.07.2019

(Contd. of page 6)

*Trade name: Opalescence Go*<sup>™</sup> 6% *Non-PF* 

>10,000 mg/l (daphnia)

#### 7722-84-1 Hydrogen Peroxide

EC50 1.38 mg/l (Algae)

2.4 mg/l (daphnia)

· Persistence and degradability No further relevant information available.

- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment

- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

### **13 Disposal considerations**

· Waste treatment methods

· Recommendation

Observe local, state and federal laws and regulations.

Do not allow product to reach sewage system.

· European waste catalogue

HP8 Corrosive

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

UN-Number		
ADR, IMDG, IATA	not regulated	
UN proper shipping name		
ADR, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
ADR, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex L	I of Marpol	
and the IBC Code	Not applicable.	

GB2 -

Printing date 29.08.2019

Revision: 12.07.2019

(Contd. of page 7)

Trade name: Opalescence Go<sup>™</sup> 6% Non-PF

· UN "Model Regulation":

not regulated

#### **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · Chemical safety assessment:

*The product meets the toxicological profile required for cosmetics per the EU cosmetic regulation, Regulation (EC) No.* 1223/2009.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H271 May cause fire or explosion; strong oxidiser.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H332 Harmful if inhaled.
H411 Toxic to aquatic life with long lasting effects.

• **Department issuing SDS:** Regulatory Affairs

• Contact: Customer Service

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Ox. Liq. 1: Oxidizing liquids - Category 1 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

GB2